



The Testcenter facility 'LoRa<sup>®</sup> Test Lab' within IMST GmbH is recognized by the LoRa™ Alliance for testing in accordance to the LoRaWAN™ Specification V1.0.1

# Report for Test of Conformance to LoRaWAN™ V1.0.1

for the Device

"RCM®-LRW10"

for the Customer

"GWF MessSysteme AG"

Markus Ridder Yavuz Turan

06. Jun. 2018

# pruefbericht\_eng.doc\01.07.10\V3.2\YT

# **Administrative Summary**

<u>Location:</u> IMST GmbH, Test Centre, Kamp-Lintfort, Germany <u>Responsible Test Engineer:</u> Yavuz Turan, Markus Ridder

Subject: Test of Conformance to LoRaWAN™ Specification V1.0.1

**Company and Contact Information:** 

**GWF MessSysteme AG** 

Mr. Lukas Kempf

Obergrundstrasse 119, 6002 Luzern

Switzerland

Tested Device: RCM®-LRW10

<u>Firmware version:</u> V1.1.5 <u>Hardware version:</u> V19

End-device identifier: 918678f4defb5300

LoRa Device Class: A

LoRaWAN Specification version: V1.0.1

Certification requirements: LoRa End Device Certification EU Version 1.5

Frequency band(s) tested: 868 MHz

Test Equipment: Test Software Version: 1.1.11

Semtech IOT SX1301 Starter Kit: Gateway software version 3.1.0

Packet forwarder software version 2.1.0

Test Result: PASS

Chief Test Engineer: Markus Ridder

Dept. Test Center

Date: June 6th, 2018

The Test Report, No. 6180662 has the following conclusion:

The device has PASSED the tests hereunder.

Responsibility:

Approved:

Yavuz Turan Markus Ridder
Test Engineer Quality Engineer

Copyright Notice & Disclaimer: No part of this test report may be reproduced without written permission of IMST GmbH. The test results herein only refer to the tested sample. IMST GmbH cannot be made responsible for any generalizations or conclusions drawn from the test results presented herein concerning further samples of the tested device. Modification of the tested sample(s) is prohibited and leads to invalidity of this report.



# $pruefbericht\_eng.doc \\ \langle 01.07.10 \rangle V3.2 \rangle YT$

## 1 Description of the Device Under Test (DUT)

### 1.1 General

RCM®-LRW10
TOMO LITTO
Lora Water Meter Transceiver
V19
V1.1.5
☐ Europe ☐ USA
☐ 433 MHz
⊠ 868 MHz
☐ 915 MHz
⊠ Yes □ No
☐ DR6 ☐ DR7
☐ Over the air ☐ by personalization ☒ both
☑ V1.0.1 ☐ V1.0.2
+14/+20
1 inverted F-shape antenna

**Table 1 Device Information** 

## 1.2 DUT Modes of Operation

During the tests the device operated in the following modes:

- Test mode according to document "LoRa End Device Certification EU V1\_5" Chapter 3.

## 1.3 DUT Setup




Figure 1 DUT Setup



### Applied Methods of Measurement

## 1.4 Protocol Testing according to LoRaWAN™ specification V1.0.1

### **Detailed Test Results:**

Test Mode Activation (Activation By Personalization): PASS

Test Mode Activation (Over the Air Activation): PASS

Test Application Functionality: PASS Packet Error Rate RX2 SF12: PASS

Cryptography: PASS

Downlink Window Timing: **PASS**Frame Sequence Number: **PASS**Device Status Request: **PASS** 

Mac Commands: PASS

New Channel Request: **PASS** Confirmed packets: **PASS** 

RX Parameter Setup Request: **PASS** RX Timing Setup Request: **PASS** 

Link ADR Request: PASS

Packet Error Rate RX1 Window: **PASS**Packet Error Rate RX2 Window: **PASS** 

### Supported Optional Features:

Adaptive Data Rate (ADR): Yes
DR6 (SF7BW250): No
DR7 (FSK50): No
Link ADR Request Block: No
Di Channel Request: No

Remarks: None.

Result: The device passed the test without limitations.



