

Supplementary information for EU Devices in the LoRaWAN  $^{\!\scriptscriptstyle (\!g\!)}$  Showcase catalogue. Version 1.0

#### **Version of Questionnaire form from the Customer/ Device Manufacturer**

Version	Date	Author	Update
1.0			Initial release from manufacture

#### **Supplementary Information on certified device**

1 Supplementary information	
1.1 Manufacturer or Brand name	Milesight
1.2 Website	www.milesight-iot.com
1.3 Sales / Marketing contact person, email:	ivete@milesight.com
1.4 Technical contact person, email:	near_lxj@milesight.com
1.5 Commercial Product name	Environment Monitoring Sensors-CO2 Sensor
1.6 Product code used when ordering / article number	9027100090
1.7 Product Version :	V1.0
Hardware version:	V1.2
Firmware version:	V2.3
1.8 In what countries is the product available	worldwide
1.9 What date was / is the market introduction for this device / product?	2020/3/20
1.10 Is the device already working on a public LoRaWAN network.  If yes specify at which public operator, country and number of deployed devices on that network:	⊠ Yes: □ No
1.11 What functionality does the device provide and which sensor(s) does it contain?	Use case: EM500-CO2 is a sensor mainly used for outdoor environment through wireless LoRa network. EM500-CO2 device is battery powered and designed for multiple mounting ways. It is equipped with NFC (Near Field Communication)



	and can easily be configured by a smartphone or a PC software.
	Short behavior description: Sensor data are transmitted in real-time using standard LoRaWAN protocol. LoRaWAN enables encrypted radio transmissions over long distance while consuming very little power. The user can obtain sensor data and view the trend of data change through Milesight IoT Cloud or thr ough the user's own Network Server.
1.12 Accuracy & resolution for every sensor or measurement made by the device	
Name:	Senseair Sunrise
sensor accuracy (incl. unit): +/-	±30 ppm or ±3 % of reading
resolution (incl. unit):	1ppm
measurement parameter:	CO2 concentration
measurement range	400 - 5000 ppm
Name:	Digital pressure sensor
sensor accuracy (incl. unit): +/-	±1 hPa
resolution (incl. unit):	1 hPa
measurement parameter:	Barometric Pressure
measurement range	300 - 1100 hPa (-40°C - 85°C)
Name:	Humidity and Temperature Sensor
sensor accuracy (incl. unit): +/-	±3%RH(10~90%RH);±5%RH(<10% or >90%RH);±0.3°C(0°C~70°C);±0.6°C(-20~0°C);
resolution (incl. unit):	0.5%RH;0.1°C
measurement parameter:	Humidity;Temperature
measurement range	0~100% RH,-30°C~+70°C
1.13 Uplinks are: Periodic:	
Period:	10min
Explanation:	
Keep alive message period:	1day
Event triggered how:	
1.14 Parameter configuration of device (e.g.	⊠ Remotely:
transmission or measurement interval, threshold levels,	
etc.)	☐ Specify if other:
	☐ Locally:
	☐ Via CLI: specify type of connector:
	⊠ Via NEC:
	⊠ Via NFC:



	☐ Specify if other:
1.15 Does the application server send downlinks to the devices?	☐ Yes: (why/how often/typical size)
	□ No
1.16 Operating temperature of device	Minimum -30 °C
- x °C to + x °C	Maximum +70 °C
1.17 Is the payload structure available for decoding?	☐ Yes: ⊠ No
	Please attach the payload structure
	(+example of decoded payload)
1.18 Is there a decode-API available	☐ Yes: ⊠ No
	Please attach the API documentation
1.19 Is the firmware upgradeable and how?	⊠ Yes: (how)
1.20 How can the device be reset to factory default	Reset via PC Software;Reset via Button
settings?	
1.21 How can the device be forced to re-initiate the join	via Smartphone APP;via PC Software;via Button
procedure?	
1.22 Product certifications (IP rating, ATEX,)	1. IP rating: IP66
	2. ATEX compliance:
	Other:
	N DED
1.23 Which regulatory certifications are available (RED, CE, EMC)?	⊠ RED
CL, LIVIO):	□ CE
	Attack made of contification to the madilin which this
	Attach proof of certification to the mail in which this
	document is sent to a public operator
1.24 Power Supply	External power supply:
1.24 Tower Supply	connection:
	voltage:
	amperage:
	amporago.
	☐ Internal battery:
	battery type: 19000 mAh Li-SoCl2 battery
	chemical composition: Li-SoCl2
	Battery self-discharge (%/year): 1.5
	Battery shelf life: >10 year
	capacity: 19000 mAh
	weight: 100g
	rechargeable:   Yes:   No





1.25 Powering device on and off	
How is the device turned ON?	Turn ON via Smartphone APP;Turn ON via PC
How is the device turned OFF?	Software;Turn ON via Button
	Turn OFF via Smartphone APP;Turn OFF via PC
	Software;Turn OFF via Button
1.26 Dimensions of device	14.79 × 7.1 × 6.95cm
	14.79 × 7.1 × 0.95cm
(Length x width x height)	
1.27 Weight of full device	g
1.28 Mounting of device	
1. How to mount?	Wall Mounting, Pole Mounting, DIN Rail Mounting
2. How to mount for best	1.CO2 sensor should be mounted no higher than
antenna propagation	12-18 inches above the floor since CO2 is heavier
	than normal air and will flow down.
	2.Installation should be considered the layout of a
	space. Enclosed spaces or varying spaces are
	recommended to install one more sensor.



#### **2 LoRaWAN Device Information**

2.1 DevEUI Range (IEEE Compliance)	From :24E1240000000000 To : 24E124FFFFFFFFF
2.2 LoRaWAN Class	☑ Class A ☐ Class B ☐ Class C
2.3 For Class C Device: Device Under Test restores previous RF settings at boot?	☐ Yes ☐ No
2.4 In what LoRaWAN region/frequency ranges is the product available	⊠ EU863-870         ☐ US902-928         ☐ AS923         ☐ IN865-867         ☐ KR920-923         ☐ Other
2.5 Is the LoRaWAN test mode supported?	⊠ Yes □ No, why not
2.6 Tested and certified against which LoRaWAN Specification(s)	☐ V1.0 ☐ V1.0.1 ☐ V1.0.2 revB ☐ V1.0.3 ☐ V1.1.x ☐ Other:
2.7 Link to document on the LoRa Alliance website	Link:
2.8 Which TX power is used in production devices by default?	
- if LW 1.0.2 rev A or older is used:	☐ TXPower 0 (20dBm) ☐ TXPower 1 (14dBm) ☐ TXPower 2 (11dBm) ☐ TXPower 3 (8dBm) ☐ TXPower 4 (5dBm) ☐ TXPower 5 (2dBm) ☐ other TXPower (dBm)
- if LW 1.0.2 rev B or newer is used	<ul> <li>□ TXPower 0 (MaxEIRP)</li> <li>□ TXPower 1 (MaxEIRP-2dB)</li> <li>□ TXPower 2 (MaxEIRP-4dB)</li> <li>□ TXPower 3 (MaxEIRP-6dB)</li> <li>□ TXPower 4 (MaxEIRP-8dB)</li> <li>□ TXPower 5 (MaxEIRP-10dB)</li> </ul>



	_
	TXPower 6 (MaxEIRP-12dB)
	☐ TXPower 7 (MaxEIRP-14dB)
	☐other TXPower
	(Max EIRP: dB)
	(**************************************
O O M/high TV resumes are surrounted by the	
2.9 Which TX powers are supported by the	
device in production	
- if LW 1.0.2 rev A or older is used:	☐ TXPower 0 (20dBm)
	· · · · · · · · · · · · · · · · · · ·
	☐ TXPower 1 (14dBm)
	TXPower 2 (11dBm)
	TXPower 3 (8dBm)
	· · · · · · · · · · · · · · · · · · ·
	TXPower 4 (5dBm)
	TXPower 5 (2dBm)
	□ the TVD to the control of the con
	□other TXPower ( dBm)
- if LW 1.0.2 rev B or newer is used	☑ TXPower 0 (MaxEIRP)
	☐ TXPower 1 (MaxEIRP-2dB)
	□ TXPower 2 (MaxEIRP-4dB)
	☐ TXPower 3 (MaxEIRP-6dB)
	X TXPower 4 (MaxEIRP-8dB)
	· · · · · · · · · · · · · · · · · · ·
	☐ TXPower 5 (MaxEIRP-10dB)
	□ TXPower 6 (MaxEIRP-12dB)
	[ [ ] THE OWER T (MAXETTE THOU)
	(Max EIRP : dB)
O O Miliah I a DaMANI Craasification	
2.9 Which LoRaWAN Specification	□V1.0
is currently supported on	□V1.0.1
the production devices?	□V1.0.2 revA
	⊠V1.0.2 revB
	□V1.0.4
	□V1.1.x
	□Other:
2.10 Will you re-certify your device	⊠Yes.
when a new major LoRaWAN	□No, why :
_	
specification version is released	



2.11 Has Interoperability prequalification testing been done?	<ul> <li>☑Yes.</li> <li>☑No, why:</li> <li>Which Network Servers</li> <li>☑Actility</li> <li>☑Loriot</li> <li>☑TTI</li> <li>☑Other: Specify:</li> <li>Please attach all the test reports.</li> </ul>
2.12 Is Activation Type OTAA the default	⊠Yes. □No, why :
2.13 For OTAA, is AppKey unique for each device?	□Yes. ⊠No.
2.14 Is ADR implemented? Recommendation: ADR should always be activated. Exceptions can be made for moving devices but will need to be explained.	<ul><li>☑Activated</li><li>☑Deactivated, why :</li><li>☑Configurable by user (recommendation: Activated by default)</li><li>☑Mixed, explain:</li></ul>
2.15 What values did you implement for: - ADR_ACK_LIMIT: - ADR_ACK_DELAY:	64recommended value: 64 32recommended value: 32
2.16 Do you use unconfirmed and/or confirmed uplinks and what is the data rate, timing and power back off algorithm?	<ul> <li>☐ unconfirmed</li> <li>☐ confirmed, when and why:</li> <li>☐ Both, which is used when and why: When confirmed mode is enabled</li> <li>Data rate, timing and power back-off algorithm (only if you use confirmed uplinks):</li> </ul>
Upon reception of a confirmed downlink message, is the next uplink sent immediately after the downlink ?Answers (radio buttons)	□Yes. ⊠No, why :
2.17 Is the device doing a periodical rejoin? (only for OTAA)	☐Yes (frequency): ☑No. Why? How to trigger a rejoin? Use the restart button



2.18 Is the first join request sent on SF12?	☐Yes. ☑No, why: Because of the duty cycle Explain the JoinRequest sequence if no JoinAccept is received - data rate, timing and power back-off algorithm.
2.19 On what SF and power setting is the first uplink (after join procedure) done?	SF: SF10 TXPower: TXPower0
2.20 Are you doing periodically reset of Uplink frame counter?	☐Yes (frequency/why): ☑No.
2.21 If LoRaWAN 1.0.x, DevNonce behaviour :	<ul><li>☑ Based on a random value</li><li>☐ Monotonically increasing never-wrapping counter</li></ul>
2.22 Uplink DataRate (0-7 supported)	Min: 0 Max: 6
2.23 RX1 Data Rate Offset	☑Default LoRaWAN in regards of ISM band ☐Other:
2.24 RX1 Delay	☑Default LoRaWAN in regards of ISM band ☐Other:
2.25 RX2 Data Rate	☑Default LoRaWAN in regards of ISM band ☐Other:
2.26 RX2 Frequency	☑Default LoRaWAN in regards of ISM band ☐Other:
2.27 RX1 Delay on JoinRequest (OTAA devices only)	☑Default LoRaWAN in regards of ISM band ☐Other:
2.28 Mobility Profile (how your device moves)	⊠Near static □Walking speed □Vehicle speed □Random
2.29 Frame Counters Up To 32-bits	⊠Frame counter-up □Frame counter-down



2.30 Which MAC commands does the device	⊠LinkCheckReq / LinkCheckAns
support	⊠TXParamSetupReq / TXParamSetupAns
	⊠LinkADRReq / LinkADRAns
	⊠DutyCycleReq / DutyCycleAns
	⊠RXParamSetupReq /RXParamSetupAns
	☑DevStatusReq / DevStatusAns
	⊠NewChannelReq / NewChannelAns
2.31 LoRaWAN Stack Type (optional)	⊠Semtech/Stackforce
	Semtech/Stackforce with modifications
	□IBM
	☐IBM with modifications
	☐Proprietary- Other, name it:
2.32 LoRaWAN Stack Version (optional)	V1.0.2
2.33 LoRa Radio Hardware (optional)	⊠Proprietary:
	SX chip used:
	□LoRaWAN Modem/Module:
	Manufacturer:
	Part Number:
	Firmware revision:
2.34 Multicast support (optional)	□Yes:
	Multicast DevAddr:
	Multicast AppSKey:
	Multicast NwkSKey:
	Payload:
	Port:
	⊠No.



#### **3 Radio Frequency Information**

□Wire
□PCB
□External
⊠Other: (which type) Microstrip (Patch) Antennas
1.4dBi or
dBd
☐Yes, dB loss
⊠No, why: We have match the impedance between the
moderm and the antenna.
☐ TXPower 0 (20dBm)
☐ TXPower 1 (14dBm)
☐ TXPower 2 (11dBm)
☐ TXPower 3 (8dBm)
☐ TXPower 4 (5dBm)
☐ TXPower 5 (2dBm)
□other txpower ( dBm)
· · · · · · · · · · · · · · · · · · ·
⊠Yes, 1.4 dB loss
∐No, why:



#### **4 Battery and TX Power Information**

Please indicate if you do not want Section 4 displayed on the LoRa Alliance Website Yes

If yes please supply contact details for the operators to request the information for Section 4

4.1 Battery consumption of the	TX current: 62-64mA
device (including modem,	RX current: 6.7 mA
sensors and all other electronics	Idle time current: 0.0075mA
4.2 Estimated battery life in years based on the number	Battery life in years
of transmissions (including sensor readings) at SF7,	SF7 SF10 SF12
SF10 & SF12 with your battery self-discharge and aging over time taken into account.	9 144 52.5 25.4 7.9
over time taken into account.	ੁੱ ਨੂੰ 96 60.77 33.3 11.3
Assumptions:	SF7 SF10 SF12  144 52.5 25.4 7.9  144 52.5 25.4 7.9  144 52.5 25.4 7.9  159 96 60.77 33.3 11.3  48 72 48.4 20.1  169 96 62.5 32.8  179 96 62.5 32.8  180 96 62.5 32.8  180 96 62.5 32.8  180 96 62.5 32.8  180 97 98 98 98 98 98 98 98 98 98 98 98 98 98
- Product shelf life before use:	$\frac{0}{\sqrt{2}} = \frac{0}{\sqrt{2}} = 24 + 79.4 $ 62.5 32.8
Maximum 1 year.	je je 12 83.7 73.3 47.8
- At an environment temperature	ि हुँ 4 86.8 82.76 69
of 20°C.	
0.20 0.	
- LoRaWAN specification used for battery life	□LW1.0.1
calculation:	□LW1.0.2 revA
	⊠LW1.0.2 revB
	Other:
- TX power setting (txpower)	□LW1.0.1
used for battery life calculation:	□LW1.0.2 revA
	⊠LW1.0.2 revB
	Other:
- Payload size used for battery life	16 bytes
calculation (should be average	
payload size of production device):	
- Additional assumptions or	
comments on battery life (Typical usage	



4.3 Which TX power setting (TXPower) was	
used in the RF test?	
	☐ TXPower 0 (20dBm)
- If LW 1.0.2 rev A or older device:	☐ TXPower 1 (14dBm)
	☐ TXPower 2 (11dBm)
	☐ TXPower 3 (8dBm)
	☐ TXPower 4 (5dBm)
	☐ TXPower 5 (2dBm)
	□other TXPower ( dBm)
- If LW 1.0.2 rev B or newer device:	TXPower 0 (MaxEIRP)
	☐ TXPower 1 (MaxEIRP-2dB)
	TXPower 2 (MaxEIRP-4dB)
	TXPower 3 (MaxEIRP-6dB)
	TXPower 4 (MaxEIRP-8dB)
	TXPower 5 (MaxEIRP-10dB)
	TXPower 6 (MaxEIRP-12dB)
	TXPower 7 (MaxEIRP-14dB)
	□other TXPower 14.6
	(MaxEIRP-1.4 dBdBm)
4.4 Is this the same TX power setting	⊠Yes, Txpower0
(TXPower) used by default in production	□No, why:
devices (before network ADR)?	
4.5 Maximum ERP measured: (ERP = EIRP -	14 dBm
2.15 dB; LoRaWAN allows 14 dBm ERP)	
4.6 TRP measured: (TRP is based on EIRP)	14 dBm
This gives an idea about the directivity of the antenna.	
	F-+ DV4 OF40DW40F 000 0MH 440 ID-
3.10 TIS measured on RX1:	For RX1-SF12BW125 on 868.3MHz -146 dBm
3.11 TIS measured on RX2	For RX2-SF12BW125 on 869.525 MHz: -146 dBm