

LoRaWAN Certification by Similarity

Case B: End-Device Certification by Similarity

Applicant:

Company: Seeed Technology Co., Ltd.

Location: 9F, Building G3, TCL International E City, Zhongshanyuan Road, Nanshan District, Shenzhen, Guangdong Province, China

Positive Assessment:

Dear Sir,

According to LoRa Alliance Certification process description for LoRaWAN devices detailed in the “Certification By Similarity Declaration V1_1”, the certification by similarity is an option to get the LoRa Alliance Certification.

Based on the information provided by Seeed Technology Co., Ltd., the device “SenseCAP S2100 LoRaWAN Data Logger” meets all the requirements specified by the LoRa Alliance, this device is a variant device which design is based on the already LoRaWAN certified device “SenseCAP Air Temperature and Humidity Sensor”.

According to the documentation provided by Seeed Technology Co., Ltd.. the device under certification, has:

- The same LoRa transceiver
- The same LoRa protocol SW version
- The same MCU Core
- The same Clock design and implementation

than the certified integrated module, and the product’s application software cannot interfere with the execution of the LoRaWAN protocol stack.

Data provided by Seeed Technology Co., Ltd. complies with LoRa Alliance requirements for certification by similarity.

DUT information:

Original Certified End-Device		Variant End-Device	
Model Identification:	SenseCAP Air Temperature and Humidity Sensor	Model Identification:	SenseCAP S2100 LoRaWAN Data Logger
LoRaWAN Region:	EU868 / US915	LoRaWAN Region:	EU868 / US915
Supported Class:	Class A	Supported Class:	Class A
Type of DUT:	End Device/Sensor	Type of DUT:	End Device/Sensor
LoRaWAN Version:	1.0.2	LoRaWAN Version:	1.0.2
Hardware Version:	1.2	Hardware Version:	1.1
Firmware Version:	2.0	Firmware Version:	2.5
Link of Certification:	https://lora-alliance.org/lora_products/sensecap-air-temperature-and-humidity-sensor/		

Dekra Testing and Certification Co., Ltd.
 No. 26, Huaya 1st Rd., Guishan Dist., Taoyuan City
 333411, Taiwan
 Tel: +886 3 275 7255 #6426
 Fax: +886 3 327 8031
gavin.yang@dekra.com

ATH Identifier: DEKRA – TWN
 ATH Responsible: Gavin Yang

Gavin Yang
 2022-12-22