

INBIOT MONITORING SL.
Paseo Santxiki 2, Office LB5.
31192, Mutilva Alta, Navarra
Spain

DEKRA Testing and Certification, S.A.U. • Málaga, 29590

DEKRA Testing and Certification, S.A.U.

Parque Tecnológico de Andalucía
C/ Severo Ochoa, 2
29590 Campanillas
Málaga, Spain
Phone +34 952 61 91 00
Fax +34 952 61 91 13
Contact: Raul Ramos Perez
E-Mail: raul.ramos@dekra.com

8 January 2025

Ref.: MICA | Indoor Air Quality monitor - 915M positive assessment

Dear Sir,

According to LoRa Alliance Certification process description for LoRaWan devices detailed in the “Certification By Similarity Declaration 1.1”, the certification by similarity is an option to get the LoRa Alliance Certification.

Based on the information provided by INBIOT MONITORING SL., the device “MICA | Indoor Air Quality monitor - 915M” meets all requirements specified by the LoRa Alliance; this device is a variant device which design is based on the already LoRaWAN certified module LSM110A.

According to the documentation provided by INBIOT MONITORING SL., the device under certification, has:

- The same LoRa transceiver
- The same LoRa protocol SW version
- The same MCU Core
- The same Clock design and implementation

than the certified integrated module, and the product’s application software cannot interfere with the execution of the LoRaWan protocol stack.

Data provided by INBIOT MONITORING SL., comply with LoRa Alliance requirements for certification by similarity for bands US902-928 and AU915-928.

Raul Ramos Perez
LoRa Lab Responsible

DEKRA Testing and Certification, S.A.U.
Parque Tecnológico de Andalucía
C/ Severo Ochoa, 2
29590 Campanillas
Malaga, Spain
Phone +34 952 61 91 00
Fax +34 952 61 91 13
<https://wireless/dekra-product-testing.com>