



Prüfbericht-Nr.: <i>Test report no.:</i>	60443528-001	Auftrags-Nr.: <i>Order no.:</i>	21-0083	Seite 1 von 8 Page 1 of 8
Kunden-Referenz-Nr.: <i>Client reference no.:</i>	23870529	Auftragsdatum: <i>Order date:</i>	06-04-2021	
Auftraggeber: <i>Client:</i>				
Prüfgegenstand: <i>Test item:</i>	Strips Multisensor MS-B			
Bezeichnung / Typ-Nr.: <i>Identification / Type no.:</i>	13 06 001			
Auftrags-Inhalt: <i>Order content:</i>	Certification by Similiarity according LoRaWAN™ SpecificationV1.0.2 for EU 863-870 Band			
Prüfgrundlage: <i>Test specification:</i>	EU863-870 MHz ISM Band Devices Version 1.6			
Wareneingangsdatum: <i>Date of sample receipt:</i>	06-04-2021			
Prüfmuster-Nr.: <i>Test sample no.:</i>	N/A			
Prüfzeitraum: <i>Testing period:</i>	26-05-2021 – 27-05-2021			
Ort der Prüfung: <i>Place of testing:</i>	Lund, Sweden			
Prüflaboratorium: <i>Testing laboratory:</i>	TÜV Rheinland Sweden			
Prüfergebnis*: <i>Test result*:</i>	PASS			
geprüft von: <i>tested by:</i>	<div style="text-align: center;">  Recoverable Signature  X _____ Signed by: Kaushendra Tripathi </div>			

Prüfbericht-Nr.:
Test Report No.: 60443528-001

Seite 2 von
Page 2 of 8

Revisions <i>Revisions</i>			
Revision Revision	Datum Date	Anmerkung Remark	Verfasser Author
0	01-04-2021	Original Report	JE
1	27-05-2021	Dsign	JE

Note: Latest revision report will replace all previous reports

Table of contents

1	Product Information.....	4
	Submitted Documents:.....	5
2	General device description.....	5
3	Similarity overview.....	6
4	Similarity case	6
5	PHOTO DOCUMENTATION.....	7

Prüfbericht-Nr.:
Test Report No.: 60443528-001

Seite 4 von
Page 4 of 8

1 PRODUCT INFORMATION

The device under test (DUT) is for LoRaWAN 1.0.2 Certification testing by similarity.

General information	
Product name:	Strips Multisensor MS-B
Model:	13 06 001
Description:	Beacon, sends a status message on regular intervals (check that object is within range).
Manufacturer SKU	Sensitive
Hardware version:	P1.6
Firmware version:	1.2
Contact person:	Lars Jonsson
Phone number:	+46 70 302 3767

LoRaWAN information	
Type of DUT	End Device
LoRa Device Class	A
Geographical area of operation	Europe 868 MHz
Operating frequency	EU 863 - 870 MHz
Adaptive Data Rate (ADR) supported?	True
Optional data rates supported?	DR6
Activation possibilities	Over the air
Test According LoRaWAN™ Spec	V1.0.2 (with regional parameters V1.0.2 ref.B)
Output Power	+12 dBm
Number / Type of Antenna(s)	1
Antenna Gain	+2.3dBi
Test sample information	N/A

Prüfbericht-Nr.:
Test Report No.: 60443528-001

Seite 5 von
Page 5 of 8

For OTA activation:	
Serial No of Device with OTAA	-
End-device identifier (DevEUI)	-
Application identifier (AppEUI)	-
Application key (AppKey)	-

Submitted Documents:

CertificationBySimilarityDeclaration
LoRaCertificationQuestionnaire
Strips Sensor family for LoRa
Photo
Strips Multisensor test report by similarity
Strips Multisensor test report

2 GENERAL DEVICE DESCRIPTION

Strips MS-B Beacon, sends a status message on regular intervals (check that object is within range).
Model number: 13 06 001

Prüfbericht-Nr.:
Test Report No.: 60443528-001

Seite 6 von
Page 6 of 8

3 SIMILIARITY OVERVIEW

Strips Multisensor MS-H is a certified LoRaWan device according to LoRaWAN™ Specification V1.0.2 for EU 863-870 Band

Strips Multisensor MS-B uses the same PCB as certified device Strips Multisensor MS-H

- LoRa transceiver same as Strips MS-H
- LoRa protocol SW version same as Strips MS-H
- MCU Core same as Strips MS-H
- Clock design and implementation same as Strips MS-H
- The implemented software won't affect the certificated product Strips MS-WL LoRaWAN behaviour.

4 SIMILIARITY CASE

Pre-requisite	
A similar device (from same manufacturer or module from different manufacturer) has already been certified.	Document review executed
	Device listed: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
	Comment: Strips Multisensor MS-H from Sensative

Change descriptions – general overview	
Case 1	Module Integration: the Variant device to be certified embeds a LoRa certified module.
	Applicable: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
	Comment:
Case 2	Module Family: the Variant device to be certified is a Module from the same family of a LoRa certified module.
	Applicable: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
	Comment:
Case 3	Device Certification by similarity: the Variant device to be certified uses the same Module of an already LoRa certified device.
	Applicable: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
	Comment: Beacon, sends a status message on regular intervals (check that object is within range).

Prüfbericht-Nr.:
Test Report No.: 60443528-001

Seite 7 von
Page 7 of 8

5 PHOTO DOCUMENTATION



Prüfbericht-Nr.:
Test Report No.: 60443528-001

Seite 8 von
Page 8 of 8

END OF REPORT